IN THE CLAIMS:

Please enter the following amendments:

1. (currently amended): A portable computer system comprising:

a bus;

a processor coupled to said bus;

a housing comprising an a dielectric elastomer electronic muscle material,

said dielectric elastomer electronic muscle material, when moved, causing said

processor to behave in a prescribed manner.

a display device coupled to said bus and for providing a visual display; and

wherein said processor implements a user interface for controlling said

display.

2. (original): The portable computer system of Claim 1 further comprising a

battery and wherein movement of said electronic muscle material causes

charging of said battery.

3. (original): The portable computer system of Claim 1 wherein movement of

said electronic muscle material causes said processor to sense handling by user

for determination of left-handedness or right-handedness thereof.

4. (original): The portable computer system of Claim 3 wherein in response

to said determination of handedness said electronic muscle material generates a

plurality of function buttons in the proximity of user's fingers.

PALM-3675.SG/ACM/CWS

Serial No.: 09/944,280 Examiner: WU, XIAO MIN 2 Group Art Unit: 2674 5. (original): The portable computer system of Claim 4 wherein any of said

plurality of function buttons vibrate to apprise user of relevant message being

displayed.

6. (original): The portable computer system of Claim 4 wherein any of said

plurality of function buttons protrudes from said housing to apprise user of

relevant message being displayed.

7. (original): The portable computer system of Claim 1 wherein said

electronic muscle material vibrates for apprising the user of a message being

displayed.

8. (original): The portable computer system of Claim 1 wherein said

electronic muscle material conforms to the shape of user's hand for improved

ergonomics.

9. (original): The portable computer system of Claim 8 wherein said

conformance to shape of user's hand generates contour data which is used by said

processor to identify a user for purpose of user authorization.

The portable computer system of Claim 1 wherein the 10. (original):

electronic muscle material vibrates at a frequency as specified by said processor

for use as a speaker.

PALM-3675.SG/ACM/CWS

11. (original): The portable computer system of Claim 1 wherein said electronic muscle material vibrates at a frequency of external sound for use as a microphone.

12. (original): The portable computer system of Claim 11 wherein the location of said vibration moves spatially about the housing for tracking a strongest sound signal.

13. (currently amended): A portable electronic device comprising:

a processor coupled to a bus;

a display module for displaying information and coupled to said bus;

a memory for storing information and coupled to said bus;

an a dielectric elastomer electronic muscle material coupled to said bus and for use as an input device.

14. (original): A portable electronic device as described in Claim 13 wherein said electronic muscle material comprises a plurality of buttons for user input.

15. (original): A portable electronic device as described in Claim 14 wherein said electronic muscle material generates information used by said processor for detecting the placement of user fingers on said electronic muscle material.

PALM-3675.SG/ACM/CWS Examiner: WU, XIAO MIN 16. (original): A portable electronic device as described in Claim 15 wherein locations of said plurality of buttons are defined based on said placement of said user fingers on said electronic muscle material.

17. (original): A portable electronic device as described in Claim 13 wherein a portion of said electronic muscle material functions as a speaker.

18. (original): A portable electronic device as described in Claim 17 wherein the location of said portion is adjusted by said processor to optimize sound characteristics.

19. (original): A portable electronic device as described in Claim 13 wherein a portion of said electronic muscle material functions as a microphone.

20. (original): A portable electronic device as described in Claim 19 wherein the location of said portion is adjusted by said processor to optimize detection characteristics.

21. (original): A portable electronic device as described in Claim 14 wherein said electronic muscle material generates information used by said processor for detecting the handedness of a user.

PALM-3675.SG/ACM/CWS Examiner: WU, XIAO MIN 22. (original): A portable electronic device as described in Claim 14 wherein said electronic muscle material generates information used by said processor for detecting the identity of a user.

23. (original): A portable electronic device as described in Claim 13 further comprising a battery and wherein, in response to movement of said electronic muscle material, said electronic muscle material charges said battery.

24. (currently amended): In a portable electronic device, a method of responding to a user comprising the steps of:

a) in response to said user handling said portable electronic device, an a dielectric elastomer electronic muscle material therein generating information; and

b) a processor of said electronic device processing said information and performing a prescribed function.

25. (original): A method as described in Claim 24 wherein said information comprises a user hand contour and wherein step b) comprises said processor performing a user authentication function.

26. (original): A method as described in Claim 24 wherein said information comprises a user finger placement and wherein step b) comprises said processor forming buttons within said electronic muscle material that align with positions of said finger placement.

PALM-3675.SG/ACM/CWS Examiner: WU, XIAO MIN 27. (original): A method as described in Claim 24 wherein said information comprises a user hand contour and wherein step b) comprises said processor determining the handed-ness of said user.

28. (original): A method as described in Claim 24 wherein said information comprises a user hand contour and wherein step b) comprises said processor forming said electronic muscle material into a shape that aligns with said user hand contour for providing user comfort.